Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report Number 27, October 6, 2008

Crop Report for October 5, 2008

Saskatchewan farmers have harvested 95 per cent of the 2008 crop, according to Saskatchewan Agriculture's weekly crop report. This is up from 82 per cent last week. Last year at this time, harvesting progress also stood at 95 per cent; the five-year average (2003-07) is 82 per cent harvested.

Harvest has progressed the furthest in the northeast, where it is 98 per cent complete. The south-western and west central regions have 96 per cent of the crops harvested. The northwest has the largest amount of crop left in the field, but harvest is still reported as 89 per cent complete.

Yield estimates point to well-above-average production.

With 97 per cent of spring wheat harvested, crop reporters estimate that 86 per cent will fall into the top two grades, compared with the 10-year average of 68 per cent. Ergot was a downgrading factor in a number of areas.

During the past week, crop damage was caused by wind, frost, ergot, sprouting, bleaching, grasshoppers, waterfowl and wild game.

Farmers are spraying and fertilizing, hauling bales, picking rocks and doing other fall work.

For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Ministry of Agriculture
306-787-5956

Available on the Ministry of Agriculture Internet site at: www.agriculture.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

Saskatchewan Crop Insurance Deadlines for October:

October 31 is the deadline to pay 2008 premiums without interest being charged.

Sask. harvesting progress

	% this week	% last week
Winter wheat	100	99
Fall rye	99	99
Spring wheat	97	83
Durum	96	83
Oats	93	75
Barley	98	88
Triticale	95	95
Flax	75	32
Canola	94	79
Mustard	98	85
Sunflowers	19	19
Lentils	99	99
Peas	99	99
Canary seed	75	36
Chickpeas	70	53
Total	**95**	**82**

1 Year Ago

Ninety-five per cent of the 2007 harvest was complete.

Yield estimates pointed to below average total production.

Frost, rain, and migratory birds caused the majority of the crop damage.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN
Crop Insurance

South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

South eastern harvesting progress	% this week	% last week
Winter wheat	100	99
Fall rye	100	100
Spring wheat	97	87
Durum	98	86
Oats	93	76
Barley	98	92
Triticale	75	75
Flax	78	39
Canola	97	84
Mustard	99	91
Sunflowers	22	22
Lentils	100	99
Peas	100	100
Canary seed	80	52
Chickpeas	81	65
Total	**95**	**83**

The south eastern region saw generally good harvesting weather this past week, with some strong winds near the end of the week. The highest rainfall amount was 1 mm in CD 2b. Crop damage from wind, including shattering, lodging and scattering of swaths, was reported in the Kisbey, Tantallon, Whitewood, Weyburn, Fillmore, Montmartre, Odessa, and Ceylon areas.

Ninety-five per cent of the 2008 south eastern crop has been harvested, with a further 4% lying in the swath or ready to straight combine. Crops that are less than 95% harvested include oats, triticale, flax, sunflowers, canary seed, and chickpeas. Some grain in the area is tough and grain dryers are in use.

Three-quarters of the spring wheat crop is estimated to fall into the top two grades. Several areas, including Fillmore, Montmartre, Broadview, Vibank, and Tantallon reported that ergot was a downgrading factor.

Grain movement is slow in some areas and crops are being piled on the ground due to a shortage of storage space.

Some oats still in the fields in the Moosomin area are badly moulded. Wheat and barley swaths still out in the Zehner area are expected to be feed grade when combined. Some chickpeas in the Ceylon area seem to be turning green again.

South eastern yields of flax, sunflowers, and chickpeas are expected to be the highest in the province, while average yields of fall rye, lentils, and canary seed are expected to be the lowest.

Grasshoppers damaged fall-seeded crops in the Stoughton area.

Topsoil moisture conditions declined during the past week. Seventy per cent of the crop land is rated as being adequate, compared to 81% last week. Similarly, 72% of the hay and pasture land is rated as having adequate topsoil moisture, compared to 83% last week.

Farmers are spraying, harrowing, hauling bales, burning flax straw, picking rocks, baling straw, fencing, putting away machinery, hauling fertilizer, haying, and spreading manure. Cattle are being moved from summer pastures, and, in some cases, being placed on stubble for fall grazing.

Fall-seeded crops are coming up well in the Kisbey area.

In the Briercrest area, two fires caused the loss of a combine and a baler this past week.

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

East central harvesting progress	% this week	% last week
Winter wheat	100	99
Fall rye	100	100
Spring wheat	98	82
Durum	96	83
Oats	95	73
Barley	99	90
Triticale	99	88
Flax	72	22
Canola	92	76
Mustard	98	76
Sunflowers	0	0
Lentils	99	98
Peas	99	99
Canary seed	78	38
Chickpeas	97	81
Total	**95**	**79**

The southwest had good harvest weather this past week. The highest crop district rainfall was an average of 1 mm in CD 3asw. Some bleaching was reported in the Shaunavon and Hazlet areas. Dirt was blowing in the Limerick area late in the week.

Ninety-six per cent of the 2008 south western crop has been harvested, and a further 2% is lying in the swath or ready to be straight combined. Crops that are less than 95% harvested include flax, sunflowers, canary seed, and chickpeas.

South western average yields are expected to be the highest in the province for fall rye and lentils, and the lowest for spring wheat, durum, oats, barley, flax, canola, mustard, and peas.

Over 90% of the south western spring wheat crop is expected to fall into the top two grades.

Topsoil moisture conditions declined during the past week. Fifty per cent of the crop land is rated as having adequate topsoil moisture, compared with 71% last week. Forty-three per cent of the hay and pasture land is rated as having adequate topsoil moisture, compared with 59% last week. Rain is needed to improve moisture conditions and facilitate fall work.

Grasshoppers damaged fall-seeded crops in the Bengough, Lafleche, and Shaunavon areas. Some insecticide spraying took place. Sawflies continued to cause problems in the Hazlet area. Kochia weeds are causing damage to crops in some areas.

Farmers are baling, putting on Edge, summerfallowing, spraying, picking rocks, and hauling bales. Farmers in the Mossbank area were having trouble sourcing Edge. Some south western farmers are selling their calves because they have no pasture for them. Others were moving their cattle off pastures. Some farmers were still seeding fall rye and winter wheat. Fall triticale and winter wheat have emerged in the Consul area.

Several areas are experiencing water shortages for livestock including Lafleche, Moose Jaw, Coderre, and Mankota.

There were reports of fuel being stolen from combines and trucks in the Glenbain area.

East central Saskatchewan (Crop Districts 5 & 6a)

North eastern harvesting progress

	% this week	% last week
Winter wheat	99	99
Fall rye	100	99
Spring wheat	99	87
Durum	99	90
Oats	98	89
Barley	99	95
Triticale	100	90
Flax	88	34
Canola	98	89
Mustard	99	92
Sunflowers	n/a	n/a
Lentils	99	94
Peas	99	99
Canary seed	94	63
Chickpeas	n/a	n/a
Total	**98**	**89**

The east central region had good harvest weather this past week, with some strong winds. Crop District 6a was the only CD to have measurable rainfall. Crop damage from frost was reported in the Jedburgh and Quill Lake areas. Wind damage, including scattering of swaths and shattering of standing crops, was reported in the Stockholm, Ituna, Raymore, Bethune, Earl Grey, Holdfast, Imperial, Semans, Nokomis, Young, Leroy, and Humboldt areas.

Ninety-five per cent of the 2008 east central crop has been harvested, and a further 5% is lying in the swath or is ready to be straight combined. Crops that are less than 95% harvested include flax, sunflowers, and canary seed.

Eighty per cent of the east central hard red spring wheat is expected to fall into the top two grades. Grains in some areas were downgraded because of ergot. There was lots of tough and damp grain harvested in the Langenburg area.

East central average yields are expected to be the highest in the province for winter wheat, spring wheat, and durum. There are grain piles on the ground in the Langenburg, Young, and Bradwell areas.

Topsoil moisture conditions continued to decline. Fifty-one per cent of the crop land and 43% of the hay and pasture land are rated as having adequate topsoil moisture conditions, compared with 71% and 58%, respectively, last week. Rain will be needed soon for fall field work.

Grasshoppers damaged fall-seeded crops in the Lumsden and Holdfast areas. Migrating birds are damaging crops in the Jedburgh area. Wild game damaged crops in the Goodeve area.

Farmers are baling, spraying, putting up hay, harrowing, fertilizing, hauling

bales, burning kochia, and putting machinery away.

A fire consumed some acres of standing wheat in the Lockwood area – pushed by 60 km/hr winds, the fire ran for two miles, stopping when it hit a creek.

West central Saskatchewan (Crop Districts 6b & 7)

South western harvesting progress

	% this week	% last week
Winter wheat	100	99
Fall rye	100	100
Spring wheat	97	84
Durum	96	83
Oats	96	87
Barley	98	90
Triticale	97	97
Flax	79	46
Canola	99	98
Mustard	99	90
Sunflowers	70	50
Lentils	100	99
Peas	99	99
Canary seed	91	15
Chickpeas	63	43
Total	**96**	**87**

The west central region was warm, dry, and windy this past week. There was no precipitation recorded. The winds damaged crops in the Hanley, Outlook, and Conquest areas. Some standing crops were shattered, and swaths were blown around.

Ninety-six per cent of the 2008 west central crop has been harvested, with a further 3% lying in the swath or ready to straight combine. Crops that are less than 95% harvested include oats, flax, sunflowers, canary seed, and chickpeas.

West central average yields are expected to be the lowest in the province for winter wheat, sunflowers, and chickpeas.

Ninety-five per cent of the hard red spring wheat harvested is expected to fall into the top two grades.

There are piles of grain on the ground in the Outlook, Biggar, and Tramping Lake areas.

Topsoil moisture continued to decline during the past week. Twenty-four per cent of the crop land is rated as having adequate topsoil moisture, compared with 39% last week. Sixteen per cent of the hay and pasture land is rated as having adequate topsoil moisture, compared to 30% last week. In the Biggar area, there were long trails of dust behind moving vehicles.

Water fowl damaged crops in the Tramping Lake area. Some ergot showed up in the Marengo, Biggar, Luseland, and Battleford areas.

Farmers were spraying, hauling bales, harrowing, and baling straw. Some cattle were moved out of the community pasture. Hay is in short supply in the Biggar area.

North eastern Saskatchewan (Crop Districts 8 & 9ae)

The northeast saw good combining weather during the past week. The largest rainfall amount was 3 mm in the CD 9ae. Winds damaged crops, especially canola, in the Vonda, Tisdale and Hoey areas.

West central harvesting progress

	% this week	% last week
Winter wheat	100	100
Fall rye	100	100
Spring wheat	98	84
Durum	95	81
Oats	91	80
Barley	98	87
Triticale	97	85
Flax	54	13
Canola	98	84
Mustard	96	75
Sunflowers	0	0
Lentils	99	98
Peas	99	99
Canary seed	49	26
Chickpeas	82	82
Total	**96**	**84**

Ninety-eight per cent of the 2008 north eastern crop has been combined, and a further 2% is lying in the swath or ready to be straight combined. Crops that are less than 95% harvested include flax and canary seed.

North eastern yields of oats, barley, triticale, canola, mustard, peas, and canary seed are expected to be the highest in the province. Some farmers in the Pleasantdale area were using the large grain bags to store crops.

Eighty-five per cent of the north eastern hard red spring wheat is expected to fall into the top two grades.

Topsoil moisture continued to decline. Twenty per cent of the crop land and twenty-five per cent of the hay and pasture land

were rated as having adequate topsoil moisture, compared with 32% and 27%, respectively, last week. Water is getting short in the Aberdeen area.

There was ergot in the wheat in the Codette area. Fall rye and winter wheat did not germinate well in the Vonda area.

Farmers were spraying, harrowing, baling, weaning calves, and burning and working sloughs. Fall field work is minimal because of the very dry conditions.

North western Saskatchewan (Crop Districts 9aw & 9b)

North western harvesting progress

	% this week	% last week
Winter wheat	100	99
Fall rye	100	100
Spring wheat	92	72
Durum	n/a	75
Oats	83	50
Barley	94	68
Triticale	25	25
Flax	53	15
Canola	84	58
Mustard	80	n/a
Sunflowers	n/a	n/a
Lentils	n/a	n/a
Peas	100	99
Canary seed	n/a	n/a
Chickpeas	n/a	n/a
Total	**89**	**67**

The north western region was warm, dry, and windy during the past week. The largest amount of rainfall (7 mm) was recorded in CD 9aw. Frost damaged unharvested crops in the North Battleford area.

Eighty-nine per cent of the 2008 north western crop has been harvested, with a further 10% lying in the swath or ready to be straight combined. Crops that are less than 90% harvested include oats, triticale, flax, canola, and mustard. North of Glaslyn, grain samples continue to test tough to damp due to immature kernels.

North western yields of triticale are expected to be the lowest in the province. Yields in the Neilburg area were variable (spring wheat, canola, and peas ranged from 25 to 50 bu./acre while barley ranged from 40 to 75 bu./acre).

Eighty-six per cent of the harvested hard red spring wheat is expected to fall into the top two grades. Ergot was a downgrading factor in the Hafford and Meadow Lake areas.

Topsoil moisture conditions continued to decline. Thirty-five per cent of the crop land and thirty per cent of the hay and pasture land were rated as having adequate topsoil moisture, compared with 50% and 39%, respectively, last week. Once the harvest is off, rain will be welcomed. Feed supplies are short in the Turtleford area.

Grasshoppers damaged fall-seeded crops in the North Battleford area.

Farmers were applying fertilizer, baling, weaning calves, and hauling bales. Cattle are being moved off summer pastures.

Saskatchewan Harvest Progress at October 5, 2008

	% In Swath or Ready to Str.Cmb.			% Harvested		
	2008	2007	Average 2003-07	2008	2007	Average 2003-07
Winter wheat	0	0	1	100	100	99
Fall rye	1	1	1	99	99	96
Spring wheat	3	6	16	97	93	78
Durum	3	1	7	96	99	87
Oats	5	10	19	93	88	71
Barley	2	5	12	98	95	83
Triticale	5	1	6	95	99	76
Flax	19	10	15	75	86	63
Canola	6	8	20	94	92	79
Mustard	1	1	7	98	99	88
Sunflowers	0	0	2	19	8	9
Lentils	1	1	4	99	99	95
Peas	1	1	2	99	99	97
Canary seed	14	7	16	75	90	68
Chickpeas	8	1	6	70	98	78
Total	**4**	**5**	**13**	**95**	**95**	**82**

Saskatchewan Harvest Progress by Crop District at Oct. 6, 2008 (total of all crops)

Crop District	% Combined	% Other
1a	98	0
1b	93	0
2a	93	0
2b	95	0
3ase	94	0
3asw	95	0
3an	98	0
3bs	94	2
3bn	97	0
4a	90	5
4b	94	2
South	**95**	**1**
5a	90	2
5b	94	0
6a	97	0
6b	98	0
7a	92	0
7b	98	0
Central	**95**	**0**
8a	98	0
8b	98	1
9ae	97	0
9aw	88	0
9b	90	1
North	**96**	**0**
SK	**95**	**0**

Growing Degree Days Above 5°C

calculations based on temperatures given by crop reporters

R.M.	Since April 1		Sep28-Oct4	Total
3	1625	*		1625
17A	1433.5	*	58	1491.5
38A			56.75	
38B			59	
43A	1751.45		72.55	1824
43B			69.05	
44	1441.35	*		1441.35
67			54.5	
68	1823.25	*		1823.25
71		*	46.6	
72			60.15	
73B			63.5	
75B			73.65	
76A			73.15	
78A	1363	*	76	1439
97	1579.585		55.45	1635.035
109			67.5	
111A	1658.1	*		1658.1
124			42.25	
127			52.3	
132			60	
138			77	
141			76.8	
151B	1399.25	*	39.25	1438.5
157			51.05	
166	1589	*	77	1666
167	1478	*		1478
185			46.8	
186		*	30.55	
190B			59.7	
193	1520.4	*	61.35	1581.75
221	1489.15	*	61.75	1550.9
222			61.3	
246	1361.55		48.3	1409.85
252		*	56.85	
259			74.55	
271			37	
277	1442.85	*	44.7	1487.55
283	1486.35	*	62.3	1548.65
285	1626.9		72.45	1699.35
312		*	45.35	
318A	1424	*	62	1486
336			47	
339	1393.25		54	1447.25
340A			53.5	
343	1549.1	*	67.05	1616.15
370			56.5	
379	1357.55	*		1357.55
397		*	39	
429B	1357	*		1357
442	1332		70	1402
456	1178		47	1225
496	1363.5	*	56.5	1420
502	1404.5		65.5	1470

* missing 1 to 7 days of data

A degree day is defined as a measure of the departure of temperature for a day from some reference temperature.

They are expressed in degrees of temperature. For plant growth, a base of 5°C is generally used, although the base varies for each plant species and, in fact, varies throughout the life of the plant from germination to maturity. By accumulating degree days throughout the growing season, it is possible to forecast harvesting dates.

Weekly Rainfall Summary

(in millimeters)

for the week ending October 4, 2008

Crop Dist.	No.	Municipality Name	Past Week	Since April 1
1A	1	Argyle	N/A	315*
	2	Mount Pleasant	NIL	326
	3	Enniskillen	NIL	357
	33 A	Moose Creek	NIL	282
	33 B	Moose Creek	NIL	328
	34	Browning	N/A	265*
	61	Antler	NIL	370
	64	Brock	NIL	307
	65	Tecumseh	NIL	288
1B	91	Maryfield	N/A	376*
	92	Walpole	NIL	331
	93	Wawken	NIL	335
	94	Hazelwood	NIL	379
	95	Golden West	NIL	334
	121	Moosomin	NIL	432
	122	Martin	NIL	417
	123	Silverwood	NIL	301
	124	Kingsley	NIL	390
	125	Chester	NIL	323
	151 A	Rocanville	N/A	340*
	151 B	Rocanville	NIL	342
	153	Willowdale	NIL	320
	154	Elcapo	N/A	417*
	155	Wolseley	NIL	324
2A	36	Cymri	NIL	293
	66	Griffin	NIL	335
	67	Weyburn	NIL	320
	68	Brokenshell	NIL	287
	69	Norton	N/A	318*
	96	Fillmore	NIL	357
	97	Wellington	NIL	273
	99	Caledonia	N/A	258*
2B	126	Montmartre	NIL	392
	127	Francis	NIL	340
	129	Bratt's Lake	NIL	222
	131	Baildon	NIL	235
	156 A	Indian Head	NIL	288
	157	South Qu'appelle	NIL	280
	158	Edenwold	NIL	344
	160	Pense	NIL	258
	161	Moose Jaw	1	265
	191	Marquis	N/A	286*
3ASE	9	Surprise Valley	NIL	306
	38 A	Laurier	NIL	354
	38 B	Laurier	NIL	286
	39 A	The Gap	NIL	306
	39 B	The Gap	TR	273
3ASW	10	Happy Valley	5	286
	12	Poplar Valley	NIL	308
	40	Bengough	NIL	295
	42	Willow Bunch	NIL	274
	43 A	Old Post	11	280
	43 B	Old Post	NIL	225
	44	Waverley	NIL	272
	70	Key West	NIL	275
	71 A	Excel	NIL	279
	71 B	Excel	N/A	287*
	71 C	Excel	NIL	303
	72	Lake Of The Rivers	NIL	243
	73 A	Stonehenge	NIL	263
	73 B	Stonehenge	NIL	297
	74	Wood River	NIL	54
3AN	101	Terrell	NIL	239
	102	Lake Johnston	NIL	213
	103	Sutton	N/A	270*
	132	Hillsborough	NIL	247
	134	Shamrock	NIL	300
	164	Chaplin	NIL	276
	193	Eyebrow	NIL	265
	194	Enfield	NIL	257
3BS	17 A	Val Marie	NIL	356
	17 B	Val Marie	N/A	225*
	45	Mankota	NIL	298
	75 A	Pinto Creek	N/A	261*
	75 B	Pinto Creek	NIL	284
	76 A	Auvergne	NIL	265
	76 B	Auvergne	NIL	332
	77	Wise Creek	NIL	328
	78 A	Grassy Creek	NIL	389
	78 B	Grassy Creek	NIL	312
	78 C	Grassy Creek	NIL	357
	105	Glenbain	NIL	280
	106	Whiska Creek	NIL	298
	107	Lac Pelletier	NIL	269
	108	Bone Creek	4	431
3BN	138	Webb	NIL	366
	165	Morse	N/A	257*
	166	Excelsior	NIL	352
	167	Sask. Landing	NIL	374
	168	Riverside	N/A	387*
	226	Victory	N/A	234*
	228 A	Lacadena	NIL	238
	228 B	Lacadena	NIL	236
	255	Coteau	N/A	178*
4A	49	White Valley	N/A	281*
	49 A	White Valley	1	265
	51	Reno	NIL	259
	79	Arlington	NIL	278
	109	Carmichael	NIL	338
	110	Piapot	NIL	336
	111 A	Maple Creek	NIL	295
	111 B	Maple Creek	N/A	330*
4B	139	Gull Lake	NIL	316
	141	Big Stick	NIL	328
	142	Enterprise	N/A	311*
	169	Pittville	NIL	296
	231	Happyland	NIL	275
	232	Deer Forks	NIL	331
5A	183	Fertile Belt	NIL	360
	184	Grayson	NIL	295
	185	Mcleod	NIL	333
	186	Abernethy	NIL	300
	211	Churchbridge	NIL	337
	213	Saltcoats	TR	287
	216 A	Tullymet	NIL	308
	216 B	Tullymet	NIL	176
	241	Calder	NIL	317
	243	Wallace	N/A	353*
	245 A	Garry	TR	266
	245 B	Garry	NIL	296
	246	Ituna Bon Accord	NIL	272
	247	Kellross	NIL	293
	248	Touchwood	NIL	244
5B	271	Cote	TR	271
	273	Sliding Hills	NIL	230
	275	Insinger	N/A	254*
	276	Foam Lake	N/A	336*
	277	Emerald	NIL	277
	304	Buchanan	NIL	401
	307	Elfros	NIL	335
	308	Big Quill	NIL	219
	333	Clayton	N/A	281*
	335	Hazel Dell	NIL	332
	336	Sasman	NIL	253
	337	Lakeview	NIL	237
	338	Lakeside	NIL	271
	366	Kelvington	NIL	269
	367 B	Ponass Lake	N/A	150*
6A	189	Lumsden	NIL	383
	190 A	Dufferin	NIL	264
	190 B	Dufferin	NIL	246
	190 C	Dufferin	NIL	296
	219 B	Longlaketon	NIL	278
	219 C	Longlaketon	NIL	282
	220	Mckillop	NIL	254
	221	Sarnia	3	295
	222	Craik	NIL	306
	251	Big Arm	NIL	294
	252	Arm River	NIL	231
	279 A	Mount Hope	NIL	307
	279 B	Mount Hope	NIL	228
	280	Wreford	NIL	284
	282	Mccraney	NIL	303
	309	Prairie Rose	NIL	301
	312	Morris	NIL	248
	313	Lost River	NIL	245
	339	Leroy	0	213
	340 A	Wolverine	NIL	251
	340 B	Wolverine	N/A	236*
	341	Viscount	NIL	223
	343	Blucher	NIL	271
6B	283	Rosedale	NIL	217
	284	Rudy	NIL	284
	285	Fertile Valley	NIL	217
	286	Milden	NIL	204
	314	Dundurn	NIL	234
	344	Corman Park	NIL	151
	345	Vanscoy	NIL	218
	346	Perdue	NIL	241
	376 A	Eagle Creek	NIL	189
	376 B	Eagle Creek	NIL	191
	403	Rosthern	NIL	203
7A	259	Snipe Lake	NIL	238
	287	St. Andrews	NIL	173
	288	Pleasant Valley	N/A	191*
	292	Milton	NIL	322
	317 A	Marriott	N/A	188*
	317 B	Marriott	NIL	169
	318 A	Mountain View	NIL	246
	318 B	Mountain View	NIL	237
	320	Oakdale	NIL	290
	321	Prairiedale	NIL	318
7B	347 A	Biggar	NIL	251
	347 B	Biggar	N/A	192*
	350 A	Mariposa	NIL	240
	350 B	Mariposa	NIL	226
	351	Progress	NIL	384
	352	Heart's Hill	N/A	379*
	377	Glenside	NIL	224
	378 A	Rosemount	NIL	215
	378 B	Rosemount	NIL	239
	379	Reford	N/A	169*
	380	Tramping Lake	NIL	183
	381	Grass Lake	NIL	253
	382	Eye Hill	NIL	367
	409	Buffalo	NIL	248
	410	Round Valley	N/A	208*
	411	Senlac	N/A	354*
8A	395	Porcupine	NIL	217
	397	Barrier Valley	NIL	193
	398	Pleasantdale	NIL	192
	428	Star City	TR	219
	456	Arborfield	TR	262
	457	Connaught	NIL	148
	458	Willow Creek	NIL	155
	486	Moose Range	NIL	228
	487	Nipawin	TR	241
8B	369	St. Peter	NIL	161
	370	Humboldt	NIL	215
	371	Bayne	NIL	173
	372	Grant	NIL	193
	373	Aberdeen	N/A	22*
	400	Three Lakes	N/A	242*
	402	Fish Creek	TR	200
	429 A	Flett's Springs	NIL	137
	429 B	Flett's Springs	N/A	223*
	431	St. Louis	TR	198
	459	Kinistino	NIL	212
9AE	488	Torch River	NIL	277
	520	Paddockwood	3	179
9AW	405	Great Bend	N/A	115*
	406	Mayfield	7	224
	435	Redberry	2	294
	436	Douglas	NIL	166
	463	Duck Lake	NIL	222
	464	Leask	NIL	257
	466	Meeting Lake	NIL	227
	467	Round Hill	NIL	261
	493	Shellbrook	N/A	185*
	494	Canwood	NIL	252
	496	Spiritwood	NIL	242
	497	Medstead	N/A	266*
	555	Big River	N/A	218*
9B	438	Battle River	NIL	210
	440	Hillsdale	NIL	246
	442	Manitou Lake	NIL	286
	498 A	Parkdale	2	232
	498 B	Parkdale	NIL	215
	499	Mervin	NIL	293
	501 A	Frenchman Butte	NIL	222
	501 B	Frenchman Butte	NIL	266
	501 C	Frenchman Butte	NIL	264
	502	Britannia	NIL	284
	561	Loon Lake	NIL	226
	588 A	Meadow Lake	N/A	180*
	588 B	Meadow Lake	NIL	234
	588 C	Meadow Lake	NIL	325
	588 D	Meadow Lake	N/A	346*
	622	Beaver River	N/A	163*

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Cumulative Rainfall
From: April 1, 2008
To: October 4, 2008



Cumulative Rainfall
From: April 1, 2008
To: October 4, 2008